

Valued Quality. Delivered.

Hong Kong Government Recognized Service Supplier  
Approved Laboratory of The Woolmark Company

Members of :  
American National Standards Institute  
American Society for Testing and Materials  
British Standards Institute

Hong Kong Association for Testing, Inspection and Certification Limited  
Hong Kong Toys Council

**Test Report**

Number: HKGH01738710 S1

Applicant: PALPLAY LIMITED  
6 HATASIA ST P O B 591  
GABRIEL INDUSTRIAL ZONE  
2310501 MIGDAL HAEMEK  
ISRAEL

Date: Jul 02, 2015

Attn: MS ATSMONA GALEEN

*This is to supersede Report No. HKGH01738710 dated Jan 07, 2015*

|                             |   |  |
|-----------------------------|---|--|
| Submitted sample said to be | : |  |
| Item Name                   | : | <b>Triangle Villa</b>                                  |
| Ref. No.                    | : | <b>300-0660</b>  |
| Quantity                    | : | Two sets   |
| Labelled Age Group          | : | "+2 years"   |
| Packaging Provided          | : | Yes  |
| Manufacturer                | : | PALPLAY Ltd  |
| Country of Origin           | : | Israel   |
| Date sample received        | : | Dec 11, 2014, May 07, 2015, Jun 15, 2015, Jun 19, 2015 |
| Testing period              | : | Dec 11, 2014 to Jun 27, 2015                           |



\*\*\*\*\*  
To be continued

For and on behalf of :  
Intertek Testing Services HK Ltd.

Angel Y.F. Cheung  
Vice President





Valued Quality. Delivered.

Hong Kong Government Recognized Service Supplier  
Approved Laboratory of The Woolmark Company

Members of :

American National Standards Institute  
American Society for Testing and Materials  
British Standards Institute

Hong Kong Association for Testing, Inspection and Certification Limited  
Hong Kong Toys Council

**Test Report**

Number: HKGH01738710 S1

**Conclusion:**

The submitted sample was tested under the following requirements requested by the applicant, subject to the information stated in the remark and attached page(s) for details :

| <u>Requirement</u>   | <u>Result</u>        |
|--|----------------------|
| (1) BS EN 71-8:2011, Safety of toys - Part 8: Activity toys for domestic use   | Pass                 |
| (2) ASTM F1148-12<br>Standard consumer safety performance specification for home playground equipment<br>(Partial test)  | See details enclosed |
| (3) AS/NZS ISO 8124.6:2011 - Safety of toys - Part 6: Swings, slides and similar activity toys<br>for indoor and outdoor family domestic use   | Pass                 |
| (4) AS/NZS ISO 8124-1:2013<br>- Mechanical and physical tests  | Pass                 |
| (5) Australian Trade Practice Act 1974 with Consumer Protection Notice no. 14 of 2003<br>Consumer Product Safety Standard for toys for children up to and including 36 months of age | Pass                 |
| (6) EN71-2 : 2011 + A1:2014<br>- Flammability test   | Pass                 |
| (7) ASTM F963-11<br>- Physical and mechanical tests  | Pass                 |
| (8) ASTM F963-11<br>- Flammability test of materials other than textile materials  | Pass                 |
| (9) Consumer Product Safety Improvement Act (CPSIA) 2008 Section 103<br>- Tracking labels for children products  | Pass                 |
| (10) Canada Consumer Product Safety Act Toys Regulations SOR/2011-17<br>- Mechanical and Physical test   | Pass                 |

\*\*\*\*\*

To be continued

For and on behalf of :  
Intertek Testing Services HK Ltd.

Angel Y.F. Cheung  
Vice President





Valued Quality. Delivered.

Hong Kong Government Recognized Service Supplier  
Approved Laboratory of The Woolmark Company

Members of :

American National Standards Institute  
American Society for Testing and Materials  
British Standards Institute

Hong Kong Association for Testing, Inspection and Certification Limited  
Hong Kong Toys Council

**Test Report**

Number: HKGH01738710 S1

| <u>Requirement</u>  | <u>Result</u> |
|---|---------------|
| (11) Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 section 21<br>- Celluloid or Cellulose Nitrate | Pass          |
| (12) EN71-1 : 2011 + A3 : 2014<br>- Mechanical and physical properties  | Pass          |
| (13) Australian / New Zealand Standard AS/NZS ISO 8124-2:2009<br>- Flammability test                                | Pass          |

\*\*\*\*\*

For and on behalf of :  
Intertek Testing Services HK Ltd.

Angel Y.F. Cheung  
Vice President



**Test Report**

Number: HKGH01738710 S1

Tests Conducted

(1) Safety Requirement for Playhouse

Test standard: BS EN 71-8:2011, Safety of toys - Part 8: Activity toys for domestic use.

For informative:

- Labeled age group: For ages over 2 years.
- Labeled maximum user weight: 25 kg

Number of samples tested: One (1) piece.

| Clause | Requirement  | Result |
|--------|--|--------|
| 4.1    | General  |        |
| 4.1.1  | Assembly   | NA     |
| 4.1.2  | Static strength  | P      |
| 4.1.3  | Maximum height   | P      |
| 4.1.4  | Corners and edges  | NA     |
| 4.1.5  | Protruding parts   | P      |
| 4.1.6  | Diameter of ropes and other means of suspension  | NA     |
| 4.2    | Barrier, handrails and ladders and similar means of access to activity toys                          |        |
| 4.2.1  | Barriers and handrails preventing the child from falling down  | NA     |
| 4.2.2  | Ladders and similar means of access to activity toys   | NA     |
| 4.3    | Entrapment   |        |
| 4.3.1  | Head and neck entrapment   | P      |
| 4.3.2  | Entrapment of clothing and hair  | P      |
| 4.3.3  | Entrapment of feet   | P      |
| 4.3.4  | Entrapment of fingers  | P      |
| 4.4    | Stability of activity toys other than slides, swings and activity toys with crossbeams, and see-saws |        |
| 4.4.2  | Stability of activity toys with a free height of fall of 600 mm or less                              | P      |
| 4.4.3  | Stability of activity toys with a free height of fall of more than 600 mm                            | NA     |
| 4.5    | Slides   | NA     |
| 4.6    | Swings   | NA     |
| 4.7    | See-saws   | NA     |
| 4.8    | Carousels and rocking activity toys  | NA     |
| 4.9    | Paddling pools   |        |
| 4.9.1  | Static strength of paddling pools with non-inflatable walls  | NA     |
| 4.9.2  | Paddling pools with inflatable walls   | NA     |
| 5.1    | Warnings and markings  |        |
| 5.1.1  | General  | P      |
| 5.1.2  | Warning for Paddling pools   | NA     |
| 5.2    | Assembly and installation instruction  | P      |
| 5.3    | Maintenance  | P      |

Abbreviation: P = Pass; NA = Not Applicable

Date sample received : Dec 11, 2014

Testing period : Dec 11, 2014 to Dec 17, 2014

\*\*\*\*\*





Valued Quality. Delivered.

Hong Kong Government Recognized Service Supplier  
Approved Laboratory of The Woolmark Company

Members of :

American National Standards Institute  
American Society for Testing and Materials  
British Standards Institute

Hong Kong Association for Testing, Inspection and Certification Limited  
Hong Kong Toys Council

**Test Report**

Number: HKGH01738710 S1

Tests Conducted

(2) Safety Requirement for Playhouse

Test standard: ASTM F1148-12 - Standard consumer safety performance specification for Home playground equipment.

For informative:

- Labeled age group: For ages over 2 years.
- Labeled maximum user weight: 25 kg

Number of sample tested: One (1) piece.

Note: Clause 4 (Materials and Manufacture) and Clause 5.1 (identification to conformance) are covered in the standard, but not included in this report.

| Clause | Requirement                       | Result |
|--------|-----------------------------------|--------|
| 4      | Materials and Manufacture         | #1     |
| 5      | General Requirements              |        |
| 5.2    | Small part                        | NA     |
| 5.3    | Name and address                  | P      |
| 6      | Performance requirements          |        |
| 6.1    | Head and neck entrapment          | P      |
| 6.2    | Acute angles                      | P      |
| 6.3    | Protrusions                       | P      |
| 6.4    | Edges, point, and surfaces        | P      |
| 6.5    | Open tubing                       | NA     |
| 6.6    | Pinch, crush, and shear points    | P      |
| 6.7    | Holes and slots                   | P      |
| 6.8    | Hardware                          | P      |
| 6.9    | Hooks                             | NA     |
| 6.10   | Hand gripping/grasping components | NA     |
| 7      | Requirements for Access           | NA     |

\*\*\*\*\*





Valued Quality. Delivered.

Hong Kong Government Recognized Service Supplier  
Approved Laboratory of The Woolmark Company

Members of :

American National Standards Institute  
American Society for Testing and Materials  
British Standards Institute

Hong Kong Association for Testing, Inspection and Certification Limited  
Hong Kong Toys Council

**Test Report**

Number: HKGH01738710 S1

Tests Conducted

| Clause | Requirement                                     | Result |
|--------|---|--------|
| 8      | Equipment                                       |        |
| 8.1    | Swing   | NA     |
| 8.2    | Slides  | NA     |
| 8.3    | Merry-go-rounds                                 | NA     |
| 8.4    | Ropes   | NA     |
| 9      | Equipment layout                                | NA     |
| 10     | Installation                                    | P      |
| 11     | Structural integrity                            |        |
| 11.1.1 | Handholds, footholds, and horizontal supporting | NA     |
| 11.1.2 | Top support bar                                 | NA     |
| 11.1.3 | Individual suspended units                      | NA     |
| 11.1.4 | Slides  | NA     |
| 11.1.5 | Rockers   | NA     |
| 11.1.6 | Merry-go-rounds                                 | NA     |
| 11.1.7 | Climbing towers/jungle gyms                     | NA     |
| 11.1.8 | Platforms                                       | NA     |
| 11.1.9 | Climbing components                             | NA     |
| 12     | Maintenance instructions                        | P      |
| 13     | Labeling  | P      |
| 14     | Information signage and labels                  | P      |

Abbreviation : P = Pass; NA = Not Applicable

\*\*\*\*\*





Valued Quality. Delivered.

Hong Kong Government Recognized Service Supplier  
Approved Laboratory of The Woolmark Company

Members of :

American National Standards Institute  
American Society for Testing and Materials  
British Standards Institute

Hong Kong Association for Testing, Inspection and Certification Limited  
Hong Kong Toys Council

**Test Report**

Number: HKGH01738710 S1

Tests Conducted

Remarks:

#1 - Metals subject to structural degradation such as by rust or corrosion shall be painted, galvanized, or otherwise treated. Creosote, pentachlorophenol, tributyl tin oxide, and surface coatings that contain pesticides shall not be used for playground equipment. Wood treaters and playground equipment manufacturers shall practice technologies and procedures that minimize the level of dislodgeable toxin. Plastics and other materials that experience ultraviolet (UV) degradation shall be stabilized against ultraviolet light.

The manufacturer shall ensure that the users of the playground equipment cannot ingest, inhale, or absorb any potential hazardous amounts of substances through body surfaces as a result of contact with the equipment.

Date sample received : Dec 11, 2014, May 07, 2015, Jun 15, 2015, Jun 19, 2015

Testing period : Dec 11, 2014 to Jun 27, 2015

\*\*\*\*\*



**Test Report**

Number: HKGH01738710 S1

Tests Conducted

(3) Safety Requirement for Playhouse

Test standard: AS/NZS ISO 8124.6:2011 - Safety of toys - Part 6: Swings, slides and similar activity toys for indoor and outdoor family domestic use

Number of sample tested: One (1) piece.

For informative:

- Labeled age group: For ages over 2 years.
- Labeled maximum user weight: 25 kg

| Clause | Requirement   | Result |
|--------|---|--------|
| 4.1    | General   |        |
| 4.1.1  | Static strength   | P      |
| 4.1.2  | Maximum height  | P      |
| 4.1.3  | Corners and edges   | NA     |
| 4.1.4  | Protruding parts  | P      |
| 4.1.5  | Climbing and swinging ropes, chains and cables                                | NA     |
| 4.1.6  | Open tubing   | NA     |
| 4.2    | Barriers  | NA     |
| 4.3    | Rung ladders stepladders and stairways  | NA     |
| 4.4    | Entrapment  |        |
| 4.4.1  | Head and neck entrapment  | P      |
| 4.4.2  | Entrapment of clothing and hair   | P      |
| 4.4.3  | Entrapment of feet  | P      |
| 4.4.4  | Entrapment of fingers   | P      |
| 4.5    | Stability of activity toys other than slides, swings and toys with crossbeams | NA     |
| 4.6    | Slides  | NA     |
| 4.7    | Swings  | NA     |
| 4.8    | Seesaws   | NA     |
| 4.9    | Carousels and rocking toys  | NA     |

\*\*\*\*\*







Valued Quality. Delivered.

Hong Kong Government Recognized Service Supplier  
Approved Laboratory of The Woolmark Company

Members of :

American National Standards Institute  
American Society for Testing and Materials  
British Standards Institute

Hong Kong Association for Testing, Inspection and Certification Limited  
Hong Kong Toys Council

**Test Report**

Number: HKGH01738710 S1

Tests Conducted

| Clause | Requirement                            | Result |
|--------|--|--------|
| 5      | Warnings and labelling                 |        |
| 5.1    | Labelling                              | P      |
| 5.2    | Assembly and installation instructions | NA     |
| 5.3    | Maintenance instructions               | P      |

Abbreviation : P = Pass; NA = Not Applicable

Date sample received : Dec 11, 2014, May 07, 2015, Jun 19, 2015

Testing period : Dec 11, 2014 to Jun 27, 2015

\*\*\*\*\*



**Test Report**

Number: HKGH01738710 S1

Tests Conducted

(4) Physical And Mechanical Tests

Test Standard : Australian / New Zealand Standard AS/NZS ISO 8124-1:2013 Safety aspects related to mechanical and physical properties.

Age group for testing : Ages over 2 years.

The submitted samples were undergone the normal use and the following reasonable foreseeable abuse tests in accordance with the clause 5.24 of AS/NZS ISO 8124-1 : 2013 before the assessment of the relevant requirement in clause 4 :

| Clause | Test             | Parameter   |
|--------|------------------|-------------|
| 5.24.3 | Tip-over test    | 3 times     |
| 5.24.5 | Torque test      | 0.45±0.02Nm |
| 5.24.6 | Tension test     | 70±2N       |
| 5.24.7 | Compression test | 136±2N      |

| Section | Testing items   | Assessment |
|---------|---|------------|
| 4.1     | Normal use  | P          |
| 4.2     | Reasonably foreseeable abuse                                      | P          |
| 4.3     | Material  | P          |
| 4.4.1   | Small parts   | P          |
| 4.4.2   | Small part warning  | NA         |
| 4.5     | Shape, size and strength of certain toys                          | NA         |
| 4.6     | Edges   | P          |
| 4.7     | Points  | P          |
| 4.8     | Projections   | NA         |
| 4.9     | Metal wires and rods  | NA         |
| 4.10    | Plastic film or plastic bags in packaging and in toys             | P          |
| 4.11    | Cords and elastic   | NA         |
| 4.12    | Folding mechanisms  | P          |
| 4.13    | Holes, clearances and accessibility of mechanisms                 | P          |
| 4.14    | Springs   | NA         |
| 4.15    | Stability and overload requirement                                | P          |
| 4.16    | Enclosures  | P          |
| 4.17    | Simulated protective equipment, such as helmets, hats and goggles | NA         |
| 4.18    | Projectile toys   | NA         |
| 4.19    | Aquatic toys  | NA         |
| 4.20    | Braking   | NA         |
| 4.21    | Toy bicycles  | NA         |
| 4.22    | Speed limitation of electrically driven ride-on toys              | NA         |
| 4.23    | Toys containing a heat source                                     | NA         |
| 4.24    | Liquid-filled toys  | NA         |





Valued Quality. Delivered.

Hong Kong Government Recognized Service Supplier  
Approved Laboratory of The Woolmark Company

Members of :

American National Standards Institute  
American Society for Testing and Materials  
British Standards Institute

Hong Kong Association for Testing, Inspection and Certification Limited  
Hong Kong Toys Council

**Test Report**

Number: HKGH01738710 S1

Tests Conducted

| Section | Testing items  | Assessment |
|---------|--|------------|
| 4.25    | Mouth-actuated toys                                      | NA         |
| 4.26    | Toy roller skates, toy inline skates and toy skateboards | NA         |
| 4.27    | Percussion caps  | NA         |
| 4.28    | Acoustic requirements                                    | NA         |
| 4.29    | Toy scooters   | NA         |
| 4.30    | Magnets and magnetic components                          | NA         |
| Annex B | Safety labeling guidelines and manufacturer's markings   | P          |
| Annex D | Toy gun marking  | NA         |

Remark : P = Pass NA = Not applicable

Date sample received : Dec 11, 2014, Jun 19, 2015

Testing period : Dec 11, 2014 to Jun 24, 2015

\*\*\*\*\*



**Test Report**

Number: HKGH01738710 S1

Tests Conducted

(5) Physical and mechanical tests for toys for children up to and including 36 months of age

Test Standard : Australian Trade Practice Act 1974 Section 65c Consumer Product Safety Standard for Toys for children up to and including 36 months of age.

Age group for testing : Ages over 2 years.

The submitted samples were undergone the normal use and the following reasonable foreseeable abuse tests in accordance with the Clause 5.24 OF AS/NZS ISO 8124.1 : 2002 before the assessment of the relevant requirement in Clause 4 and Annex A :

| <u>Clause</u> | <u>Test</u>      | <u>Parameter</u> |
|---------------|------------------|------------------|
| 5.24.3        | Tip-over test    | 3 times          |
| 5.24.5        | Torque test      | 0.45±0.02Nm      |
| 5.24.6        | Tension test     | 70±2N            |
| 5.24.7        | Compression test | 114±2N           |

| Section     | Testing Items                            | Assessment |
|-------------|--|------------|
| 4.1         | Normal use                               | P          |
| 4.2         | Reasonably foreseeable abuse             | P          |
| 4.4         | Small parts                              | P          |
| 4.5         | Shape, size and strength of certain toys | NA         |
| 4.25        | Mouth-actuated toys                      | NA         |
| Annex A.2.3 | Battery-operated toy                     | NA         |

Remark : P = Pass NA = Not applicable

Date sample received : Dec 11, 2014, Jun 19, 2015

Testing period : Dec 11, 2014 to Jun 24, 2015

\*\*\*\*\*





Valued Quality. Delivered.

Hong Kong Government Recognized Service Supplier  
Approved Laboratory of The Woolmark Company

Members of :

American National Standards Institute  
American Society for Testing and Materials  
British Standards Institute

Hong Kong Association for Testing, Inspection and Certification Limited  
Hong Kong Toys Council

**Test Report**

Number: HKGH01738710 S1

Tests Conducted

(6) Flammability Test

Test Standard : European Standard on Safety of Toys EN71-2:2011 + A1:2014

| Clause | Testing items   | Assessment |
|--------|---|------------|
| 4.1    | General   | P          |
| 4.2    | Toys to be worn on the head   | NA         |
| 4.3    | Toy disguise costumes and toys intended to be worn by a child in play | NA         |
| 4.4    | Toys intended to be entered by a child                                | P#         |
| 4.5    | Soft filled toys  | NA         |

Remark : P = Pass

NA= Not applicable

# = Washing method :

The test specimen was pre-washed before testing according to the washing instruction shown on the as follows : instruction.

Date sample received : Dec 11, 2014

Testing period : Dec 11, 2014 to Dec 16, 2014

\*\*\*\*\*



**Test Report**

Number: HKGH01738710 S1

Tests Conducted

(7) Physical and Mechanical Tests

Test Standard : ASTM Standard Consumer Safety Specification for Toy Safety F963-11.

Age group for testing : Ages over 2 years.

The submitted samples were undergone the use and abuse tests in accordance with the Federal Hazardous Substances Act (FHSA), Title 16, Code of Federal Regulations : -

| <u>Test</u>      | <u>FHSA</u>        | <u>Parameter</u> |
|------------------|--------------------|------------------|
| Tip over test    | Section 1500.53(b) | 3 times          |
| Torque test      | Section 1500.53(e) | 4 in-lbf         |
| Tension test     | Section 1500.53(f) | 15 lbf           |
| Compression test | Section 1500.53(g) | 30 lbf           |

| Section | Testing items  | Assessment |
|---------|--|------------|
| 4.1     | Material quality (visual check on cleanliness)                 | P          |
| 4.5     | Sound-producing toys   | NA         |
| 4.6.1   | Toys intended for children under 36 months (small objects)     | P          |
| 4.6.2   | Mouth-actuated toys  | NA         |
| 4.6.3   | Toys and games for 36 months to 72 months (small part warning) | NA         |
| 4.7     | Accessible edges   | P          |
| 4.8     | Projections  | NA         |
| 4.9     | Accessible points  | P          |
| 4.10    | Wires or rods  | NA         |
| 4.11    | Nails and fasteners  | P          |
| 4.12    | Packaging film   | P          |
| 4.13    | Folding mechanisms and hinges                                  | P          |
| 4.14    | Cords, straps and elastics                                     | NA         |
| 4.15    | Stability and over-load requirements                           | P          |
| 4.16    | Confined spaces  | P          |
| 4.17    | Wheels, tires and axles  | NA         |
| 4.18    | Holes, clearance, and accessibility of mechanisms              | P          |
| 4.19    | Simulated protective devices                                   | NA         |
| 4.20    | Pacifiers  | NA         |
| 4.21    | Projectile toys  | NA         |
| 4.22    | Teethers and teething toys                                     | NA         |
| 4.23    | Rattles  | NA         |
| 4.24    | Squeeze toys   | NA         |
| 4.25    | Battery-operated toys  | NA         |
| 4.26    | Toys intended to be attached to a crib or playpen              | NA         |



**Test Report**

Number: HKGH01738710 S1

Tests Conducted

| Section | Testing items  | Assessment |
|---------|--|------------|
| 4.27    | Stuffed and beanbag-type toys  | NA         |
| 4.28    | Stroller and carriage toys   | NA         |
| 4.29    | Art materials  | NA         |
| 4.30    | Toy gun marking  | NA         |
| 4.31    | Balloons   | NA         |
| 4.32    | Certain toys with nearly spherical ends  | NA         |
| 4.33    | Marbles  | NA         |
| 4.34    | Balls  | NA         |
| 4.35    | Pompoms  | NA         |
| 4.36    | Hemispheric-shaped objects   | NA         |
| 4.37    | Yoyo elastic tether toys   | NA         |
| 4.38    | Magnets  | NA         |
| 4.39    | Jaw entrapment in handles and steering wheels  | NA         |
| 5       | Labelling requirement  | P          |
| 6       | Instructional literature   | P          |
| 7       | Producer's markings<br>- name of producer/distributor (toy and package)<br>- address (toy and package) | Yes<br>Yes |

Remark : P = Pass

NA= Not applicable

The submitted samples were undergone the tests in accordance with section 8.5 through section 8.17 and 8.19 through 8.26 on normal use, abuse and specific tests for different types of toys whichever is applicable.

Date sample received : Dec 11, 2014, Jun 19, 2015

Testing period : Dec 11, 2014 to Jun 24, 2015

(8) Flammability Test

Test Standard : Section 4.2 of the ASTM Standard Consumer Safety Specification for Toy Safety F963-11.

Result : Did not ignite

Date sample received : Dec 11, 2014

Testing period : Dec 11, 2014 to Dec 16, 2014

\*\*\*\*\*



**Test Report**

Number: HKGH01738710 S1

Tests Conducted

(9) Tracking Label Assessment

Test Standard : Consumer Product Safety Improvement Act (CPSIA) 2008 Section 103 tracking labels for children products.

**Tracking label found on the packaging**

- PAL PLAY Ltd
- 37W14

Tracking label found on the sticker of the product:

- PAL PLAY LTD
- 38W14

Note : The tracking label assessment was based on the submitted sample and the information provided by the applicant. There was no verification on the validity of such information.

Date sample received : Dec 11, 2014, Jun 18, 2015

Testing period : Dec 11, 2014 to Jun 23, 2015

(10) Physical and Mechanical Test

Test Standard : Canada Consumer Product Safety Act Toys Regulations SOR/2011-17.

Age group for testing : Ages over 2 years.

|   |                  |
|---|------------------|
| The submitted samples were undergone the use and abuse tests in accordance with the Canada Consumer Product Safety Act Toys Regulations(SOR/2011-17): |                  |
| <u>Test</u>   | <u>Parameter</u> |
| Tip over  | 3 times          |
| Pull test   | 10 lbf           |
| Push test   | 10 lbf           |

| No. | Testing Items                                    | Assessment |
|-----|--|------------|
| 3   | General - English and French bilingual statement | P          |
| 4   | Packaging  | P          |
|     | <u>Electrical hazard</u>                         |            |
| 5   | Electrically operated toys                       | NA         |
| 6   | Electrically heated toys                         | NA         |
|     | <u>Mechanical hazard</u>                         |            |
| 7   | Small parts                                      | P          |
| 8   | Metal edges                                      | NA         |
| 9   | Wire frames                                      | NA         |
| 10  | Plastic edges                                    | P          |
| 11  | Wooden surfaces, edges and corners               | NA         |







**Test Report**

Number: HKGH01738710 S1

Tests Conducted

(11) Cellulose Nitrate and Celluloid

Test Standard : Canada Consumer Product Safety Act Toys Regulation SOR 2011-17 Section 21.

|   |                             |                              |
|---|-----------------------------|------------------------------|
| Cellulose Nitrate/Celluloid                   | <u>Assessment</u><br>Absent | <u>Requirement</u><br>Absent |
| Date sample received : Dec 11, 2014           |                             |                              |
| Testing period : Dec 11, 2014 to Dec 16, 2014 |                             |                              |

(12) Mechanical and Physical Test

Test standard: European Standard on Safety of toys EN71-1 : 2011 + A3 : 2014

Age group for testing : Ages over 2 years.

|   |                               |
|---|-------------------------------|
| The submitted samples were undergone the following abuse tests: |                               |
| <u>Clause</u>   | <u>Testing items</u>          |
| 8.3   | Torque test ( 0.34 Nm )       |
| 8.4.2.1   | Tension test ( 90 N )         |
| 8.6   | Tip over test ( Three times ) |
| 8.7   | Impact test (1 kg)            |
| 8.8   | Compression test ( 110 N )    |

| Clause | Testing items  | Assessment |
|--------|--|------------|
| 4      | General requirements   |            |
| 4.1    | Material   | P          |
| 4.2    | Assembly   | P          |
| 4.3    | Flexible plastic sheeting  | NA         |
| 4.4    | Toy bags   | NA         |
| 4.5    | Glass  | NA         |
| 4.6    | Expanding materials  | NA         |
| 4.7    | Edges  | P          |
| 4.8    | Points and metallic wires  | P          |
| 4.9    | Protruding parts   | NA         |
| 4.10   | Parts moving against each other                                    | P          |
| 4.11   | Mouth actuated toys and other toys intended to be put in the mouth | NA         |
| 4.12   | Balloons   | NA         |
| 4.13   | Cords of toy kites and other flying toys                           | NA         |
| 4.14   | Enclosures   | P          |
| 4.15   | Toys intended to bear the mass of a child                          | NA         |
| 4.16   | Heavy immobile toys  | P          |
| 4.17   | Projectiles  | NA         |



**Test Report**

Number: HKGH01738710 S1

Tests Conducted

| Clause | Testing items  | Assessment |
|--------|--|------------|
| 4.18   | Aquatic toys and inflatable toys   | NA         |
| 4.19   | Percussion caps specifically designed for use in toys and toys using percussion caps | NA         |
| 4.20   | Acoustics  | NA         |
| 4.21   | Toys containing non-electrical heat source   | NA         |
| 4.22   | Small balls  | NA         |
| 4.23   | Magnets  | NA         |
| 4.24   | Yo-yo balls  | NA         |
| 4.25   | Toys attached to food  | NA         |
| 5      | Toys intended for children under 36 months   |            |
| 5.1    | General requirements for children under 36 months                                    | P          |
| 5.2    | Soft-filled toys and soft-filled parts of a toy                                      | NA         |
| 5.3    | Plastic sheeting   | NA         |
| 5.4    | Cords, chains and electrical cables in toys  | NA         |
| 5.5    | Liquid filled toys   | NA         |
| 5.6    | Speed limitation of electrically-driven ride-on toys                                 | NA         |
| 5.7    | Glass and porcelain  | NA         |
| 5.8    | Shape and size of certain toys   | NA         |
| 5.9    | Toys comprising monofilament fibres  | NA         |
| 5.10   | Small balls  | NA         |
| 5.11   | Play figures   | NA         |
| 5.12   | Hemispheric-shaped toys  | NA         |
| 5.13   | Suction cups   | NA         |
| 5.14   | Straps intended to be worn fully or partially around the neck                        | NA         |
| 6      | Packaging  | P          |
| 7      | Warnings, markings and instructions for use  |            |
| 7.1    | General  | P          |
| 7.2    | Toys not intended for children under 36 months                                       | NA         |
| 7.3    | Latex balloons   | NA         |
| 7.4    | Aquatic toys   | NA         |
| 7.5    | Functional toys  | NA         |
| 7.6    | Hazardous sharp functional edges and points  | NA         |
| 7.7    | Projectiles  | NA         |
| 7.8    | Imitation protective masks and helmets   | NA         |
| 7.9    | Toy kites  | NA         |
| 7.10   | Roller skates, inlineskates and skateboards and certain other ride-on toys           | NA         |
| 7.11   | Toys intended to be attached to strung across a cradle, cot, or perambulator         | NA         |
| 7.12   | Liquid-filled teethingers  | NA         |
| 7.13   | Percussion caps specifically designed for use in toys                                | NA         |
| 7.14   | Acoustics  | NA         |
| 7.15   | Toy bicycles   | NA         |
| 7.16   | Toys intended to bear the mass of a child  | NA         |





Valued Quality. Delivered.

Hong Kong Government Recognized Service Supplier  
Approved Laboratory of The Woolmark Company

Members of :

American National Standards Institute  
American Society for Testing and Materials  
British Standards Institute

Hong Kong Association for Testing, Inspection and Certification Limited  
Hong Kong Toys Council

**Test Report**

Number: HKGH01738710 S1

Tests Conducted

| Clause | Testing items   | Assessment |
|--------|---|------------|
| 7.17   | Toys comprising monofilament fibres   | NA         |
| 7.18   | Toy scooters  | NA         |
| 7.19   | Rocking horses and similar toys   | NA         |
| 7.20   | Magnetic/electrical experimental sets   | NA         |
| 7.21   | Toys with electrical cables exceeding 300 mm in length                                    | NA         |
| 7.22   | Toys with cords or chains intended for children of 18 months and over but under 36 months | NA         |

Remark : P = Pass

NA = Not Applicable

Note: The submitted samples were undergone the abuse tests for Clause 5.1 in according to 8.3 (Torque test), 8.4 (Tension test), 8.5 (Drop test), 8.7 (Impact test), 8.8 (Compression test) and specific tests for different types of toys whichever applicable.

Remark :

Below are additional information according to the Toy Safety Directive 2009/48/EC requirement. These information also appears as a note within the EN71 but are not standard requirements:

Marking

The manufacturer's and importer's name, registered trade name or registered trade mark, the address and type, batch, serial or model number or other element allowing their identification shall be indicated on the product itself. In addition, toys or packagings shall also bear the CE-marking.

After checking, it was found that importer's name and address was missed.

Date sample received : Dec 11, 2014, Jun 19, 2015

Testing period : Dec 11, 2014 to Jun 24, 2015

\*\*\*\*\*





Valued Quality. Delivered.

Hong Kong Government Recognized Service Supplier  
Approved Laboratory of The Woolmark Company

Members of :

American National Standards Institute  
American Society for Testing and Materials  
British Standards Institute

Hong Kong Association for Testing, Inspection and Certification Limited  
Hong Kong Toys Council

**Test Report**

Number: HKGH01738710 S1

Tests Conducted

(13) Flammability Test

Test Standard : Australian / New Zealand Standard AS/NZS ISO 8124-2:2009.

| Clause | Testing Items  | Assessment |
|--------|--|------------|
| 4.1    | General  | P          |
| 4.2    | Toys to be worn on the head  | NA         |
| 4.3    | Toy disguise costumes and toys intended to be worn by a child in a play    | NA         |
| 4.4    | Toys intended to be entered by a child                                     | P/#        |
| 4.5    | Soft-Filled Toys (animals and dolls, etc.) with a piled or textile surface | NA         |

Remark : P = Pass NA = Not applicable

# = Washing method :

The test specimen was pre-washed before testing according to the washing instruction shown on the as follows: instruction.

Additional Information : Butane gas was used in the test burner.

Date sample received : Dec 11, 2014

Testing period : Dec 11, 2014 to Dec 16, 2014

\*\*\*\*\*

End of report

Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our standard Terms and Conditions which can be obtained at our website: <http://www.intertek.com/terms/>. Intertek's responsibility and liability are limited to the terms and conditions of the agreement.

This report is made solely on the basis of your instructions and / or information and materials supplied by you and provide no warranty on the tested sample(s) be truly representative of the sample source. The report is not intended to be a recommendation for any particular course of action, you are responsible for acting as you see fit on the basis of the report results. Intertek is under no obligation to refer to or report upon any facts or circumstances which are outside the specific instructions received and accepts no responsibility to any parties whatsoever, following the issue of the report, for any matters arising outside the agreed scope of the works. This report does not discharge or release you from your legal obligations and duties to any other person. You are the only one authorized to permit copying or distribution of this report (and then only in its entirety). Any such third parties to whom this report may be circulated rely on the content of the report solely at their own risk.

This report shall not be reproduced, except in full.





Valued Quality. Delivered.

Hong Kong Government Recognized Service Supplier  
Approved Laboratory of The Woolmark Company

Members of :

American National Standards Institute  
American Society for Testing and Materials  
British Standards Institute

Hong Kong Association for Testing, Inspection and Certification Limited  
Hong Kong Toys Council

|            |                   |       |              |
|------------|-------------------|-------|--------------|
| To:        | PALPLAY LIMITED   | Ref:  | FC-2015-6200 |
| Attention: | MS ATSMONA GALEEN | Date: | Jul 02, 2015 |

---

Re : Report Revision Notification

Intertek Testing Services Report Number HKGH01738710 Dated Jan 07, 2015.

Please be informed that all the content recorded in the above captioned report will be void. This captioned report is now superseded by a revised Intertek Testing Services report, HKGH01738710 S1.

Thank you for your attention.

For and on behalf of :  
Intertek Testing Services HK Ltd.

Angel Y.F. Cheung  
Vice President