

Valued Quality. Delivered.

Hong Kong Government Recognized Service Supplier
Approved Laboratory of The Woolmark Company

Members of :
American National Standards Institute
American Society for Testing and Materials
British Standards Institute

Hong Kong Association for Testing, Inspection and Certification Limited
Hong Kong Toys Council

Test Report

Number: HKGH01738720 S1

Applicant: PALPLAY LIMITED
6 HATASIA ST P O B 591
GABRIEL INDUSTRIAL ZONE
2310501 MIGDAL HAEMEK
ISRAEL
Attn: MS ATSMONA GALEEN

Date: Jul 13, 2015

*This is to supersede Report No.
HKGH01738720 dated Jan 07, 2015*

Submitted sample said to be :
Item Name : (1) Hobby House
 : (2) Chef's House
 : (3) Workshop
 : (4) Shed House
Ref. No. : (1) 300-0665
 : (2) 300-0663
 : (3) 300-0664
 : (4) 300-0667
Quantity : Two sets
Labelled Age Group : "+2 years"
Packaging Provided : Yes
Manufacturer : PALPLAY Ltd
Country of Origin : Israel



To be continued

For and on behalf of :
Intertek Testing Services HK Ltd.

Angel Y.F. Cheung
Vice President



Valued Quality. Delivered.

Hong Kong Government Recognized Service Supplier
Approved Laboratory of The Woolmark Company

Members of :
American National Standards Institute
American Society for Testing and Materials
British Standards Institute

Hong Kong Association for Testing, Inspection and Certification Limited
Hong Kong Toys Council

Test Report

Number: HKGH01738720 S1



Conclusion:

The submitted sample was tested under the following requirements requested by the applicant, subject to the information stated in the remark and attached page(s) for details :

<u>Requirement</u>	<u>Result</u>
(1) BS EN 71-8:2011, Safety of toys - Part 8: Activity toys for domestic use	Pass
(2) ASTM F1148-12 Standard consumer safety performance specification for home playground equipment (Partial test)	See details enclosed
(3) AS/NZS ISO 8124.6:2011 - Safety of toys - Part 6: Swings, slides and similar activity toys for indoor and outdoor family domestic use	Pass

To be continued

For and on behalf of :
Intertek Testing Services HK Ltd.

Angel Y.F. Cheung
Vice President





Valued Quality. Delivered.

Hong Kong Government Recognized Service Supplier
Approved Laboratory of The Woolmark Company

Members of :

American National Standards Institute
American Society for Testing and Materials
British Standards Institute

Hong Kong Association for Testing, Inspection and Certification Limited
Hong Kong Toys Council

Test Report

Number: HKGH01738720 S1

Conclusion:

<u>Requirement</u>	<u>Result</u>
(4) ASTM F963-11 - Physical and mechanical tests	Pass
(5) ASTM F963-11 - Flammability test of materials other than textile materials	Pass
(6) Consumer Product Safety Improvement Act (CPSIA) 2008 Section 103 - Tracking labels for children products	Pass
(7) Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 - Mechanical and Physical test	Pass
(8) Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 section 21 - Celluloid or Cellulose Nitrate	Pass
(9) EN71-1 : 2011 + A3 : 2014 - Mechanical and physical properties	Pass
(10) EN71-2 : 2011 + A1:2014 - Flammability test	Pass
(11) AS/NZS ISO 8124-1:2013 - Mechanical and physical tests	Pass
(12) Australian Trade Practice Act 1974 with Consumer Protection Notice no. 14 of 2003 Consumer Product Safety Standard for toys for children up to and including 36 months of age	Pass
(13) Australian / New Zealand Standard AS/NZS ISO 8124-2:2009 - Flammability test	Pass

For and on behalf of :
Intertek Testing Services HK Ltd.

Angel Y.F. Cheung
Vice President





Valued Quality. Delivered.

Hong Kong Government Recognized Service Supplier
Approved Laboratory of The Woolmark Company

Members of :

American National Standards Institute
American Society for Testing and Materials
British Standards Institute

Hong Kong Association for Testing, Inspection and Certification Limited
Hong Kong Toys Council

Test Report

Number: HKGH01738720 S1

Tests Conducted

(1) Safety Requirement for Playhouse

Test standard: BS EN 71-8:2011, Safety of toys - Part 8: Activity toys for domestic use.

For informative:

- Labeled age group: For ages over 2 years.
- Labeled maximum user weight: 25 kg

Number of samples tested: One (1) piece.

Clause	Requirement	Result
4.1	General	
4.1.1	Assembly	NA
4.1.2	Static strength	P
4.1.3	Maximum height	P
4.1.4	Corners and edges	NA
4.1.5	Protruding parts	P
4.1.6	Diameter of ropes and other means of suspension	NA
4.2	Barrier, handrails and ladders and similar means of access to activity toys	
4.2.1	Barriers and handrails preventing the child from falling down	NA
4.2.2	Ladders and similar means of access to activity toys	NA
4.3	Entrapment	
4.3.1	Head and neck entrapment	P
4.3.2	Entrapment of clothing and hair	P
4.3.3	Entrapment of feet	P
4.3.4	Entrapment of fingers	P
4.4	Stability of activity toys other than slides, swings and activity toys with crossbeams, and see-saws	
4.4.2	Stability of activity toys with a free height of fall of 600 mm or less	P
4.4.3	Stability of activity toys with a free height of fall of more than 600 mm	NA
4.5	Slides	NA
4.6	Swings	NA
4.7	See-saws	NA
4.8	Carousels and rocking activity toys	NA
4.9	Paddling pools	
4.9.1	Static strength of paddling pools with non-inflatable walls	NA
4.9.2	Paddling pools with inflatable walls	NA
5.1	Warnings and markings	
5.1.1	General	P
5.1.2	Warning for Paddling pools	NA
5.2	Assembly and installation instruction	P
5.3	Maintenance	P

Abbreviation: P = Pass; NA = Not Applicable

Date sample received : Dec 11, 2014

Testing period : Dec 11, 2014 to Dec 17, 2014



Test Report

Number: HKGH01738720 S1

Tests Conducted

(2) Safety Requirement for Playhouse

Test standard: ASTM F1148-12 - Standard consumer safety performance specification for Home playground equipment.

For informative:

- Labeled age group: For ages over 2 years.
- Labeled maximum user weight: 25 kg

Number of sample tested: One (1) piece.

Note: Clause 4 (Materials and Manufacture) and Clause 5.1 (identification to conformance) are covered in the standard, but not included in this report.

Clause	Requirement	Result
4	Materials and Manufacture	#1
5	General Requirements	
5.2	Small part	NA
5.3	Name and address	P
6	Performance requirements	
6.1	Head and neck entrapment	P
6.2	Acute angles	P
6.3	Protrusions	P
6.4	Edges, point, and surfaces	P
6.5	Open tubing	NA
6.6	Pinch, crush, and shear points	P
6.7	Holes and slots	P
6.8	Hardware	P
6.9	Hooks	NA
6.10	Hand gripping/grasping components	NA
7	Requirements for Access	NA
8	Equipment	
8.1	Swing	NA
8.2	Slides	NA
8.3	Merry-go-rounds	NA
8.4	Ropes	NA



Test Report

Number: HKGH01738720 S1

Tests Conducted

Clause	Requirement	Result
9	Equipment layout	NA
10	Installation	P
11	Structural integrity	
11.1.1	Handholds, footholds, and horizontal supporting	NA
11.1.2	Top support bar	NA
11.1.3	Individual suspended units	NA
11.1.4	Slides	NA
11.1.5	Rockers	NA
11.1.6	Merry-go-rounds	NA
11.1.7	Climbing towers/jungle gyms	NA
11.1.8	Platforms	NA
11.1.9	Climbing components	NA
12	Maintenance instructions	P
13	Labeling	P
14	Information signage and labels	P

Abbreviation : P = Pass; NA = Not Applicable

Remarks:

#1 - Metals subject to structural degradation such as by rust or corrosion shall be painted, galvanized, or otherwise treated. Creosote, pentachlorophenol, tributyl tin oxide, and surface coatings that contain pesticides shall not be used for playground equipment. Wood treaters and playground equipment manufacturers shall practice technologies and procedures that minimize the level of dislodgeable toxin. Plastics and other materials that experience ultraviolet (UV) degradation shall be stabilized against ultraviolet light.

The manufacturer shall ensure that the users of the playground equipment cannot ingest, inhale, or absorb any potential hazardous amounts of substances through body surfaces as a result of contact with the equipment.

Date sample received : Dec 11, 2014, Apr 21, 2015, May 18, 2015 and Jun 19, 2015

Testing period : Dec 11, 2014 to Jun 27, 2015



Test Report

Number: HKGH01738720 S1

Tests Conducted

(3) Safety Requirement for Playhouse

Test standard: AS/NZS ISO 8124.6:2011 - Safety of toys - Part 6: Swings, slides and similar activity toys for indoor and outdoor family domestic use

Number of sample tested: One (1) piece.

For informative:

- Labeled age group: For ages over 2 years.
- Labeled maximum total weight: 25 kg

Clause	Requirement	Result
4.1	General	
4.1.1	Static strength	P
4.1.2	Maximum height	P
4.1.3	Corners and edges	NA
4.1.4	Protruding parts	P
4.1.5	Climbing and swinging ropes, chains and cables	NA
4.1.6	Open tubing	NA
4.2	Barriers	NA
4.3	Rung ladders stepladders and stairways	NA
4.4	Entrapment	
4.4.1	Head and neck entrapment	P
4.4.2	Entrapment of clothing and hair	P
4.4.3	Entrapment of feet	P
4.4.4	Entrapment of fingers	P
4.5	Stability of activity toys other than slides, swings and toys with crossbeams	NA
4.6	Slides	NA
4.7	Swings	NA
4.8	Seesaws	NA
4.9	Carousels and rocking toys	NA





Valued Quality. Delivered.

Hong Kong Government Recognized Service Supplier
Approved Laboratory of The Woolmark Company

Members of :

American National Standards Institute
American Society for Testing and Materials
British Standards Institute

Hong Kong Association for Testing, Inspection and Certification Limited
Hong Kong Toys Council

Test Report

Number: HKGH01738720 S1

Tests Conducted

Clause	Requirement	Result
5	Warnings and labelling	
5.1	Labelling	P
5.2	Assembly and installation instructions	NA
5.3	Maintenance instructions	P

Abbreviation : P = Pass; NA = Not Applicable

Date sample received : Dec 11, 2014, Apr 21, 2015, May 18, 2015 and Jul 07, 2015

Testing period : Dec 11, 2014 to Jul 10, 2015



Test Report

Number: HKGH01738720 S1

Tests Conducted

(4) Physical and Mechanical Tests

Test Standard : ASTM Standard Consumer Safety Specification for Toy Safety F963-11.

Age group for testing : Ages over 2 years

The submitted samples were undergone the use and abuse tests in accordance with the Federal Hazardous Substances Act (FHSA), Title 16, Code of Federal Regulations : -

Test	FHSA	Parameter
Drop test	Section 1500.53(b)	4 x 3.0 ft
Tip over test		3 times
Torque test	Section 1500.53(e)	4 in-lbf
Tension test	Section 1500.53(f)	15 lbf
Compression test	Section 1500.53(g)	30 lbf

Section	Testing items	Assessment
4.1	Material quality (visual check on cleanliness)	P
4.5	Sound-producing toys	NA
4.6.1	Toys intended for children under 36 months (small objects)	P
4.6.2	Mouth-actuated toys	NA
4.6.3	Toys and games for 36 months to 72 months (small part warning)	NA
4.7	Accessible edges	P
4.8	Projections	NA
4.9	Accessible points	P
4.10	Wires or rods	NA
4.11	Nails and fasteners	P
4.12	Packaging film	P
4.13	Folding mechanisms and hinges	P
4.14	Cords, straps and elastics	NA
4.15	Stability and over-load requirements	P
4.16	Confined spaces	NA
4.17	Wheels, tires and axles	NA
4.18	Holes, clearance, and accessibility of mechanisms	P
4.19	Simulated protective devices	NA
4.20	Pacifiers	NA
4.21	Projectile toys	NA
4.22	Teethers and teething toys	NA
4.23	Rattles	NA
4.24	Squeeze toys	NA
4.25	Battery-operated toys	NA
4.26	Toys intended to be attached to a crib or playpen	NA





Valued Quality. Delivered.

Hong Kong Government Recognized Service Supplier
Approved Laboratory of The Woolmark Company

Members of :

American National Standards Institute
American Society for Testing and Materials
British Standards Institute

Hong Kong Association for Testing, Inspection and Certification Limited
Hong Kong Toys Council

Test Report

Number: HKGH01738720 S1

Tests Conducted

Section	Testing items	Assessment
4.27	Stuffed and beanbag-type toys	NA
4.28	Stroller and carriage toys	NA
4.29	Art materials	NA
4.30	Toy gun marking	NA
4.31	Balloons	NA
4.32	Certain toys with nearly spherical ends	NA
4.33	Marbles	NA
4.34	Balls	NA
4.35	Pompoms	NA
4.36	Hemispheric-shaped objects	NA
4.37	Yoyo elastic tether toys	NA
4.38	Magnets	NA
4.39	Jaw entrapment in handles and steering wheels	NA
5	Labelling requirement	P
6	Instructional literature	P
7	Producer's markings - name of producer/distributor (toy and package) - address (toy and package)	Yes Yes

Remark : P = Pass

NA= Not applicable

The submitted samples were undergone the tests in accordance with section 8.5 through section 8.17 and 8.19 through 8.26 on normal use, abuse and specific tests for different types of toys whichever is applicable.

Date sample received : Dec 11, 2014, Mar 18, 2015 and Jun 19, 2015

Testing period : Dec 11, 2014 to Jun 30, 2015

(5) Flammability Test

Test Standard : Section 4.2 of the ASTM Standard Consumer Safety Specification for Toy Safety F963-11.

Result : Did not ignite

Date sample received : Dec 11, 2014

Testing period : Dec 11, 2014 to Dec 16, 2014





Valued Quality. Delivered.

Hong Kong Government Recognized Service Supplier
Approved Laboratory of The Woolmark Company

Members of :

American National Standards Institute
American Society for Testing and Materials
British Standards Institute

Hong Kong Association for Testing, Inspection and Certification Limited
Hong Kong Toys Council

Test Report

Number: HKGH01738720 S1

Tests Conducted

(6) Tracking Label Assessment

Test Standard : Consumer Product Safety Improvement Act (CPSIA) 2008 Section 103 tracking labels for children products.

Tracking label found on the packaging:

Palplay
37W14

Tracking label found on the sticker of the product:

Palplay Ltd
37W14

Note : The tracking label assessment was based on the submitted sample and the information provided by the applicant. There was no verification on the validity of such information.

Date sample received : Dec 11, 2014 and Jun 19, 2015

Testing period : Dec 11, 2014 to Jun 30, 2015



Test Report

Number: HKGH01738720 S1

Tests Conducted

(7) Physical and Mechanical Test

Test Standard : Canada Consumer Product Safety Act Toys Regulations SOR/2011-17.

Age group for testing : Ages over 2 years

The submitted samples were undergone the use and abuse tests in accordance with the Canada Consumer Product Safety Act Toys Regulations(SOR/2011-17):	
<u>Test</u>	<u>Parameter</u>
Drop test	4 x 4.5 ft
Pull test	10 lbf
Push test	10 lbf

No.	Testing Items	Assessment
3	General - English and French bilingual statement	P
4	Packaging	P
	<u>Electrical hazard</u>	
5	Electrically operated toys	NA
6	Electrically heated toys	NA
	<u>Mechanical hazard</u>	
7	Small parts	P
8	Metal edges	NA
9	Wire frames	NA
10	Plastic edges	P
11	Wooden surfaces, edges and corners	NA
12	Glass	NA
13	Fasteners	P
14	Folding mechanism, bracket or bracing	NA
15	Spring-wound driving mechanisms	NA
16	Projectile components	NA
17	Toys which a child can enter and which can be closed by a lid or door	P
18	Stationary toy that is intended to bear the weight of a child	NA
	<u>Auditory hazards</u>	
19	Noise limit	NA
	<u>Thermal hazards</u>	
20	Heated surfaces, parts or substances	NA
	<u>Dolls, plush toys and soft toys</u>	
28	Fastenings to attach parts, clothing or ornamentation	NA
29	Stuffing materials	
	(a) Clean and free from vermin	NA
	(b) Free from hard and sharp foreign matter	NA
30	Small parts -Squeaker, reed, valve or other similar device	NA





Valued Quality. Delivered.

Hong Kong Government Recognized Service Supplier
Approved Laboratory of The Woolmark Company

Members of :

American National Standards Institute
American Society for Testing and Materials
British Standards Institute

Hong Kong Association for Testing, Inspection and Certification Limited
Hong Kong Toys Council

Test Report

Number: HKGH01738720 S1

Tests Conducted

No.	Testing Items	Assessment
31	Eyes and noses	NA
	<u>Plant seeds</u>	
35	Plant seeds for making noise	NA
36	Plant seeds for stuffing material	NA
37	Pull and push toys that has a shaft-like handle	NA
38	Toy steam engines boilers	NA
39	Finger paints	NA
40	Rattle	NA
41	Elastics	NA
42	Yo-yo type balls	
	(a) Stretchable cords	NA
	(b) Similar product	NA
43	Batteries	NA

Remark : P = Pass NA = Not applicable

Date sample received : Dec 11, 2014 and Jun 19, 2015

Testing period : Dec 11, 2014 to Jun 30, 2015

(8) Cellulose Nitrate and Celluloid

Test Standard : Canada Consumer Product Safety Act Toys Regulation SOR 2011-17 Section 21.

Cellulose Nitrate/Celluloid	<u>Assessment</u> Absent	<u>Requirement</u> Absent
-----------------------------	-----------------------------	------------------------------

Date sample received : Dec 11, 2014

Testing period : Dec 11, 2014 to Dec 16, 2014



Test Report

Number: HKGH01738720 S1

Tests Conducted

(9) Mechanical and Physical Test

Test standard: European Standard on Safety of toys EN71-1 : 2011 + A3 : 2014

Age group for testing : Ages over 2 years

The submitted samples were undergone the following abuse tests:	
<u>Clause</u>	<u>Testing items</u>
8.3	Torque test (0.34 Nm)
8.4.2.1	Tension test (90 N)
8.6	Tip over test (Three times)
8.7	Impact test (1 kg)
8.8	Compression test (110 N)

Clause	Testing items	Assessment
4	General requirements	
4.1	Material	P
4.2	Assembly	P
4.3	Flexible plastic sheeting	NA
4.4	Toy bags	NA
4.5	Glass	NA
4.6	Expanding materials	NA
4.7	Edges	P
4.8	Points and metallic wires	P
4.9	Protruding parts	NA
4.10	Parts moving against each other	NA
4.11	Mouth actuated toys and other toys intended to be put in the mouth	NA
4.12	Balloons	NA
4.13	Cords of toy kites and other flying toys	NA
4.14	Enclosures	P
4.15	Toys intended to bear the mass of a child	NA
4.16	Heavy immobile toys	P
4.17	Projectiles	NA
4.18	Aquatic toys and inflatable toys	NA
4.19	Percussion caps specifically designed for use in toys and toys using percussion caps	NA
4.20	Acoustics	NA
4.21	Toys containing non-electrical heat source	NA
4.22	Small balls	NA
4.23	Magnets	NA
4.24	Yo-yo balls	NA
4.25	Toys attached to food	NA
5	Toys intended for children under 36 months	



Test Report

Number: HKGH01738720 S1

Tests Conducted

Clause	Testing items	Assessment
5.1	General requirements for children under 36 months	P
5.2	Soft-filled toys and soft-filled parts of a toy	NA
5.3	Plastic sheeting	NA
5.4	Cords, chains and electrical cables in toys	NA
5.5	Liquid filled toys	NA
5.6	Speed limitation of electrically-driven ride-on toys	NA
5.7	Glass and porcelain	NA
5.8	Shape and size of certain toys	NA
5.9	Toys comprising monofilament fibres	NA
5.10	Small balls	NA
5.11	Play figures	NA
5.12	Hemispheric-shaped toys	NA
5.13	Suction cups	NA
5.14	Straps intended to be worn fully or partially around the neck	NA
6	Packaging	P
7	Warnings, markings and instructions for use	
7.1	General	P
7.2	Toys not intended for children under 36 months	NA
7.3	Latex balloons	NA
7.4	Aquatic toys	NA
7.5	Functional toys	NA
7.6	Hazardous sharp functional edges and points	NA
7.7	Projectiles	NA
7.8	Imitation protective masks and helmets	NA
7.9	Toy kites	NA
7.10	Roller skates, inlineskates and skateboards and certain other ride-on toys	NA
7.11	Toys intended to be attached to strung across a cradle, cot, or perambulator	NA
7.12	Liquid-filled teethers	NA
7.13	Percussion caps specifically designed for use in toys	NA
7.14	Acoustics	NA
7.15	Toy bicycles	NA
7.16	Toys intended to bear the mass of a child	NA
7.17	Toys comprising monofilament fibres	NA
7.18	Toy scooters	NA
7.19	Rocking horses and similar toys	NA
7.20	Magnetic/electrical experimental sets	NA





Valued Quality. Delivered.

Hong Kong Government Recognized Service Supplier
Approved Laboratory of The Woolmark Company

Members of :

American National Standards Institute
American Society for Testing and Materials
British Standards Institute

Hong Kong Association for Testing, Inspection and Certification Limited
Hong Kong Toys Council

Test Report

Number: HKGH01738720 S1

Tests Conducted

Clause	Testing items	Assessment
7.21	Toys with electrical cables exceeding 300 mm in length	NA
7.22	Toys with cords or chains intended for children of 18 months and over but under 36 months	NA

Remark : P = Pass NA = Not Applicable

Note: The submitted samples were undergone the abuse tests for Clause 5.1 in according to 8.3 (Torque test), 8.4 (Tension test), 8.5 (Drop test), 8.7 (Impact test), 8.8 (Compression test) and specific tests for different types of toys whichever applicable.

Remark : Below are additional information according to the Toy Safety Directive 2009/48/EC requirement. These information also appears as a note within the EN71 but are not standard requirements:

1. Marking

The manufacturer's and importer's name, registered trade name or registered trade mark, the address and type, batch, serial or model number or other element allowing their identification shall be indicated on the product itself. In addition, toys or packagings shall also bear the CE-marking. After checking, it was found that importer's name and address was missed.

2. Cleaning instruction

A toy intended for use by children under 36 months must be designed and manufactured in such a way that it can be cleaned. The toy shall fulfill the safety requirements also after having been cleaned in accordance with this point and the manufacturer's instructions. The manufacturer should, if applicable, provided instructions on how the toy has to be cleaned. After checking, the cleaning instruction was found on the submitted samples.

Date sample received : Dec 11, 2014, Mar 18, 2015 and Jun 19, 2015
Testing period : Dec 11, 2014 to Jun 30, 2015





Valued Quality. Delivered.

Hong Kong Government Recognized Service Supplier
Approved Laboratory of The Woolmark Company

Members of :

American National Standards Institute
American Society for Testing and Materials
British Standards Institute

Hong Kong Association for Testing, Inspection and Certification Limited
Hong Kong Toys Council

Test Report

Number: HKGH01738720 S1

Tests Conducted

(10) Flammability Test

Test Standard : European Standard on Safety of Toys EN71-2:2011 + A1:2014

Clause	Testing items	Assessment
4.1	General	P
4.2	Toys to be worn on the head	NA
4.3	Toy disguise costumes and toys intended to be worn by a child in play	NA
4.4	Toys intended to be entered by a child	P#
4.5	Soft filled toys	NA

Remark : P = Pass

NA= Not applicable

= Washing method :

The test specimen was pre-washed before testing according to the washing instruction shown on the instruction.

Date sample received : Dec 11, 2014

Testing period : Dec 11, 2014 to Dec 16, 2014



Test Report

Number: HKGH01738720 S1

Tests Conducted

(11) Physical And Mechanical Tests

Test Standard : Australian / New Zealand Standard AS/NZS ISO 8124-1:2013 Safety aspects related to mechanical and physical properties.

Age group for testing : Ages over 2 years

The submitted samples were undergone the normal use and the following reasonable foreseeable abuse tests in accordance with the clause 5.24 of AS/NZS ISO 8124-1 : 2013 before the assessment of the relevant requirement in clause 4 :

<u>Clause</u>	<u>Test</u>	<u>Parameter</u>
5.24.2	Drop test	4x93±5cm
5.24.3	Tip-over test	3 times
5.24.5	Torque test	0.45±0.02Nm
5.24.6	Tension test	70±2N
5.24.7	Compression test	136±2N

Section	Testing items	Assessment
4.1	Normal use	P
4.2	Reasonably foreseeable abuse	P
4.3	Material	P
4.4.1	Small parts	P
4.4.2	Small part warning	NA
4.5	Shape, size and strength of certain toys	NA
4.6	Edges	P
4.7	Points	P
4.8	Projections	NA
4.9	Metal wires and rods	NA
4.10	Plastic film or plastic bags in packaging and in toys	P
4.11	Cords and elastic	NA
4.12	Folding mechanisms	NA
4.13	Holes, clearances and accessibility of mechanisms	P
4.14	Springs	NA
4.15	Stability and overload requirement	P
4.16	Enclosures	P
4.17	Simulated protective equipment, such as helmets, hats and goggles	NA
4.18	Projectile toys	NA
4.19	Aquatic toys	NA
4.20	Braking	NA
4.21	Toy bicycles	NA
4.22	Speed limitation of electrically driven ride-on toys	NA





Valued Quality. Delivered.

Hong Kong Government Recognized Service Supplier
Approved Laboratory of The Woolmark Company

Members of :

American National Standards Institute
American Society for Testing and Materials
British Standards Institute

Hong Kong Association for Testing, Inspection and Certification Limited
Hong Kong Toys Council

Test Report

Number: HKGH01738720 S1

Tests Conducted

Section	Testing items	Assessment
4.23	Toys containing a heat source	NA
4.24	Liquid-filled toys	NA
4.25	Mouth-actuated toys	NA
4.26	Toy roller skates, toy inline skates and toy skateboards	NA
4.27	Percussion caps	NA
4.28	Acoustic requirements	NA
4.29	Toy scooters	NA
4.30	Magnets and magnetic components	NA
Annex B	Safety labeling guidelines and manufacturer's markings	P
Annex D	Toy gun marking	NA

Remark : P = Pass NA = Not applicable

Date sample received : Dec 11, 2014, Mar 18, 2015 and Jun 19, 2015

Testing period : Dec 11, 2014 to Jun 30, 2015



Test Report

Number: HKGH01738720 S1

Tests Conducted

(12) Physical and mechanical tests for toys for children up to and including 36 months of age

Test Standard : Australian Trade Practice Act 1974 Section 65c Consumer Product Safety Standard for Toys for children up to and including 36 months of age.

Age group for testing : Ages over 2 years.

The submitted samples were undergone the normal use and the following reasonable foreseeable abuse tests in accordance with the Clause 5.24 OF AS/NZS ISO 8124.1 : 2002 before the assessment of the relevant requirement in Clause 4 and Annex A :

<u>Clause</u>	<u>Test</u>	<u>Parameter</u>
5.24.2	Drop test	4x93±5cm
5.24.3	Tip-over test	3 times
5.24.5	Torque test	0.45±0.02Nm
5.24.6	Tension test	70±2N
5.24.7	Compression test	114±2N

Section	Testing Items	Assessment
4.1	Normal use	P
4.2	Reasonably foreseeable abuse	P
4.4	Small parts	P
4.5	Shape, size and strength of certain toys	NA
4.25	Mouth-actuated toys	NA
Annex A.2.3	Battery-operated toy	NA

Remark : P = Pass NA = Not applicable

Date sample received : Dec 11, 2014, Mar 18, 2015 and Apr 09, 2015

Testing period : Dec 11, 2014 to Apr 10, 2015





Valued Quality. Delivered.

Hong Kong Government Recognized Service Supplier
Approved Laboratory of The Woolmark Company

Members of :

American National Standards Institute
American Society for Testing and Materials
British Standards Institute

Hong Kong Association for Testing, Inspection and Certification Limited
Hong Kong Toys Council

Test Report

Number: HKGH01738720 S1

Tests Conducted

(13) Flammability Test

Test Standard : Australian / New Zealand Standard AS/NZS ISO 8124-2:2009.

Clause	Testing Items	Assessment
4.1	General	P
4.2	Toys to be worn on the head	NA
4.3	Toy disguise costumes and toys intended to be worn by a child in a play	NA
4.4	Toys intended to be entered by a child	P#
4.5	Soft-Filled Toys (animals and dolls, etc.) with a piled or textile surface	NA

Remark : P = Pass NA = Not applicable

= Washing method :

The test specimen was pre-washed before testing according to the washing instruction shown on the instruction.

Additional Information : Butane gas was used in the test burner.

Date sample received : Dec 11, 2014

Testing period : Dec 11, 2014 to Dec 23, 2014

End of report

Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our standard Terms and Conditions which can be obtained at our website: <http://www.intertek.com/terms/>. Intertek's responsibility and liability are limited to the terms and conditions of the agreement.

This report is made solely on the basis of your instructions and / or information and materials supplied by you and provide no warranty on the tested sample(s) be truly representative of the sample source. The report is not intended to be a recommendation for any particular course of action, you are responsible for acting as you see fit on the basis of the report results. Intertek is under no obligation to refer to or report upon any facts or circumstances which are outside the specific instructions received and accepts no responsibility to any parties whatsoever, following the issue of the report, for any matters arising outside the agreed scope of the works. This report does not discharge or release you from your legal obligations and duties to any other person. You are the only one authorized to permit copying or distribution of this report (and then only in its entirety). Any such third parties to whom this report may be circulated rely on the content of the report solely at their own risk.

This report shall not be reproduced, except in full.





Valued Quality. Delivered.

Hong Kong Government Recognized Service Supplier
Approved Laboratory of The Woolmark Company

Members of :

American National Standards Institute
American Society for Testing and Materials
British Standards Institute

Hong Kong Association for Testing, Inspection and Certification Limited
Hong Kong Toys Council

To: PALPLAY LIMITED
Attention: MS ATSMONA GALEEN

Ref: FC-2015-6606
Date: Jul 13, 2015

Re : Report Revision Notification

Intertek Testing Services Report Number HKGH01738720 Dated Jan 07, 2015

Please be informed that all the content recorded in the above captioned report will be void. This captioned report is now superseded by a revised Intertek Testing Services report, HKGH01738720 S1.

Thank you for your attention.

For and on behalf of :
Intertek Testing Services HK Ltd.

Angel Y.F. Cheung
Vice President