

Valued Quality. Delivered.

Hong Kong Government Recognized Service Supplier
Approved Laboratory of The Woolmark Company

Members of :
American National Standards Institute
American Society for Testing and Materials
British Standards Institute

Hong Kong Association for Testing, Inspection and Certification Limited
Hong Kong Toys Council

Test Report

Number: HKGH01890637 S1

Applicant: PALPLAY LIMITED
6 HATASIA ST P O B 591
GABRIEL INDUSTRIAL ZONE
2310501 MIGDAL HAEMEK
ISRAEL

Date: Dec 31, 2015

Attn: MS.ATSMONA GALEEN

*This is to supersede Report No.
HKGH01890637 dated Dec 31, 2015*

Submitted sample said to be	:
Item Name	: The House of Fun
Ref. No.	: 300-0780
Quantity	: One set
Labelled Age Group	: "+2 years"
Packaging Provided	: Yes (Artwork)
Manufacturer	: Palplay Ltd
Country of origin	: Israel



For and on behalf of :
Intertek Testing Services HK Ltd.

Angel Y.F. Cheung
Vice President





Valued Quality. Delivered.

Hong Kong Government Recognized Service Supplier
Approved Laboratory of The Woolmark Company

Members of :

American National Standards Institute
American Society for Testing and Materials
British Standards Institute

Hong Kong Association for Testing, Inspection and Certification Limited
Hong Kong Toys Council

Test Report

Number: HKGH01890637 S1

Conclusion:

The submitted sample was tested under the following requirements requested by the applicant, subject to the information stated in the remark and attached page(s) for details :

<u>Requirement</u>	<u>Result</u>
(1) BS EN 71-8:2011 Safety of toys - Part 8: Activity toys for domestic use	Pass
(2) ASTM F1148-12 Standard consumer safety performance specification for home playground equipment (Partial test)	See details enclosed
(3) AS/NZS ISO 8124.6:2011 Safety of toys - Part 6: Swings, slides and similar activity toys for indoor and outdoor family domestic use	Pass
(4) U.S. ASTM F963-11 - Physical and Mechanical tests	Pass
(5) ASTM F963-11 - Flammability test of materials other than textile materials	Pass
(6) Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 - Mechanical and physical test	Pass
(7) Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 - Celluloid or Cellulose Nitrate	Pass
(8) EN71-1: 2014 - Mechanical and Physical Properties	Pass
(9) EN71-2:2011 + A1:2014 - Flammability test	Pass
(10) Australian / New Zealand Standard AS/NZS ISO 8124-1: 2013 - Mechanical and Physical Tests	Pass
(11) Australian Trade Practice Act 1974 with Consumer Protection Notice no. 14 of 2003 Consumer Product Safety Standard for toys for children up to and including 36 months of age	Pass
(12) Australian / New Zealand Standard AS/NZS ISO 8124-2:2009 - Flammability test	Pass
(13) Consumer Product Safety Improvement Act (CPSIA) 2008 Section 103 - Tracking labels for children products	Pass



Test Report

Number: HKGH01890637 S1

(1) Safety requirement for Playhouse

Test Standard : BS EN 71-8:2011, Safety of toys - Activity toys for domestic use.

For informative:

- Labeled age group: 2-10 years
- Labeled maximum user weight: 25 kg

Number of samples tested : One (1) piece

Clause	Requirement	Assessment
4.1	General	
4.1.1	Assembly	NA
4.1.2	Static strength	P
4.1.3	Maximum height	P
4.1.4	Corners and edges	NA
4.1.5	Protruding parts	P
4.1.6	Diameter of ropes and other means of suspension	NA
4.2	Barrier, handrails and ladders and similar means of access to activity toys	
4.2.1	Barriers and handrails preventing the child from falling down	NA
4.2.2	Ladders and similar means of access to activity toys	NA
4.3	Entrapment	
4.3.1	Head and neck entrapment	P
4.3.2	Entrapment of clothing and hair	P
4.3.3	Entrapment of feet	P
4.3.4	Entrapment of fingers	P
4.4	Stability of activity toys other than slides, swings and activity toys with crossbeams, and see-saws	
4.4.2	Stability of activity toys with a free height of fall of 600 mm or less	P
4.4.3	Stability of activity toys with a free height of fall of more than 600 mm	NA
4.5	Slides	NA
4.6	Swings	NA
4.7	See-saws	NA
4.8	Carousels and rocking activity toys	NA
4.9	Paddling pools	NA
5.1	Warnings and markings	
5.1.1	General	P
5.1.2	Warning for Paddling pools	NA
5.2	Assembly and installation instruction	P
5.3	Maintenance	P

Abbreviation: P = Pass; NA = Not Applicable

Date sample received : Nov 25, 2015, Dec 08, 2015, Dec 16, 2015 and Dec 23, 2015

Testing period : Nov 25, 2015 to Dec 28, 2015



Test Report

Number: HKGH01890637 S1

(2) Safety Requirement for Playhouse

Test standard: ASTM F1148-12 - Standard consumer safety performance specification for Home playground equipment.

Number of sample tested: One (1) piece.

For informative:

- Labeled age group: 2-10 years
- Labeled maximum user weight: 25 kg

Note: Clause 4 (Materials and Manufacture) and Clause 5.1 (identification to conformance) are covered in the standard, but not included in this report.

Clause	Requirement	Assessment
4	Materials and Manufacture	#1
5	General Requirements	
5.2	Small part	NA
5.3	Name and address	P
6	Performance requirements	
6.1	Head and neck entrapment	P
6.2	Acute angles	P
6.3	Protrusions	P
6.4	Edges, point, and surfaces	P
6.5	Open tubing	NA
6.6	Pinch, crush, and shear points	P
6.7	Holes and slots	P
6.8	Hardware	P
6.9	Hooks	NA
6.10	Hand gripping/grasping components	NA
7	Requirements for Access	NA
8	Equipment	
8.1	Swing	NA
8.2	Slides	NA
8.3	Merry-go-rounds	NA
8.4	Ropes	NA



Test Report

Number: HKGH01890637 S1

Clause	Requirement	Assessment
9	Equipment layout	NA
10	Installation	P
11	Structural integrity	
11.1.1	Handholds, footholds, and horizontal supporting	NA
11.1.2	Top support bar	NA
11.1.3	Individual suspended units	NA
11.1.4	Slides	NA
11.1.5	Rockers	NA
11.1.6	Merry-go-rounds	NA
11.1.7	Climbing towers/jungle gyms	NA
11.1.8	Platforms	NA
11.1.9	Climbing components	NA
12	Maintenance instructions	P
13	Labeling	P
14	Information signage and labels	P

Abbreviation : P = Pass; NA = Not Applicable

Remarks:

#1 - Metals subject to structural degradation such as by rust or corrosion shall be painted, galvanized, or otherwise treated. Creosote, pentachlorophenol, tributyl tin oxide, and surface coatings that contain pesticides shall not be used for playground equipment. Wood treaters and playground equipment manufacturers shall practice technologies and procedures that minimize the level of dislodgeable toxin. Plastics and other materials that experience ultraviolet (UV) degradation shall be stabilized against ultraviolet light.

Date sample received : Nov 25, 2015, Dec 08, 2015, Dec 16, 2015 and Dec 23, 2015

Testing period : Nov 25, 2015 to Dec 28, 2015



Test Report

Number: HKGH01890637 S1

(3) Safety Requirement for Playhouse

Test standard: AS/NZS ISO 8124.6:2011 - Safety of toys - Part 6: Swings, slides and similar activity toys for indoor and outdoor family domestic use

Number of sample tested: One (1) piece.

For informative:

- Labeled age group: 2-10 years
- Labeled maximum user weight: 25 kg

Clause	Requirement	Assessment
4.1	General	
4.1.1	Static strength	P
4.1.2	Maximum height	P
4.1.3	Corners and edges	NA
4.1.4	Protruding parts	P
4.1.5	Climbing and swinging ropes, chains and cables	NA
4.1.6	Open tubing	NA
4.2	Barriers	NA
4.3	Rung ladders stepladders and stairways	NA
4.4	Entrapment	
4.4.1	Head and neck entrapment	P
4.4.2	Entrapment of clothing and hair	P
4.4.3	Entrapment of feet	P
4.4.4	Entrapment of fingers	P
4.5	Stability of activity toys other than slides, swings and toys with crossbeams	NA
4.6	Slides	NA
4.7	Swings	NA
4.8	Seesaws	NA
4.9	Carousels and rocking toys	NA
5	Warnings and labelling	



Test Report

Number: HKGH01890637 S1

Clause	Requirement	Assessment
5.1	Labelling	P
5.2	Assembly and installation instructions	NA
5.3	Maintenance instructions	P

Abbreviation : P = Pass; NA = Not Applicable

Date sample received : Nov 25, 2015, Dec 08, 2015, Dec 16, 2015 and Dec 23, 2015
Testing period : Nov 25, 2015 to Dec 28, 2015

(4) Physical and Mechanical Tests

Test Standard : ASTM Standard Consumer Safety Specification for Toy Safety F963-11

Age group for testing : For Ages over 2 years

The submitted samples were undergone the use and abuse tests in accordance with the Federal Hazardous Substances Act (FHSA), Title 16, Code of Federal Regulations : -

Test	FHSA	Parameter
Compression test	Section 1500.53(g)	30 lbf
Tension test	Section 1500.53(f)	15 lbf
Tip over test		3 times
Torque test	Section 1500.53(e)	4 in-lbf

Clause	Requirement	Assessment
4.1	Material quality (visual check on cleanliness)	P
4.5	Sound producing toys	NA
4.6.1	Toys intended for children under 36 months of age	P
4.6.2	Mouth actuated toys	NA
4.6.3	Toys and games for 36 months to 72 months - Small part warning	NA
4.7	Accessible edges	P
4.8	Projection	NA
4.9	Accessible points	P
4.10	Wires or rods	NA
4.11	Nails and fasteners	P
4.12	Plastic film	P
4.13	Folding mechanisms and hinges	P
4.14	Cords, straps, and elastics	NA
4.15	Stability and overload requirement	P
4.16	Confined spaces	P
4.17	Wheels, tires, and axles	NA
4.18	Holes, clearance, and accessibility of mechanisms	P
4.19	Simulated protective devices	NA
4.20	Pacifiers	NA
4.21	Projectile toys	NA
4.22	Teethers and teething toys	NA
4.23	Rattles	NA
4.24	Squeeze toys	NA
4.25	Battery operated toys	NA



Test Report

Number: HKGH01890637 S1

Clause	Requirement	Assessment
4.26	Toys intended to be attached to a crib or playpen	NA
4.27	Stuffed and beanbag type toys	NA
4.28	Stroller and carriage toys	NA
4.29	Art materials	NA
4.30	Toy gun marking	NA
4.31	Balloons	NA
4.32	Certain toys with nearly spherical ends	NA
4.33	Marbles	NA
4.34	Balls	NA
4.35	Pompoms	NA
4.36	Hemispherical shaped objects	NA
4.37	Yo Yo elastic tether toys	NA
4.38	Magnets	NA
4.39	Jaw Entrapment in Handles and Steering Wheels	NA
5	Labeling requirements	P
6	Instructional literature	P
7	Producer's marking	
	- Name of producer / distributor	Yes
	- Address	Yes

Abbreviation : P = Pass NA = Not Applicable

The submitted samples were undergone the tests in accordance with section 8.5 through section 8.17 and 8.19 through 8.26 on normal use, abuse and specific tests for different types of toys whichever is applicable.

Date sample received : Nov 25, 2015, Dec 01, 2015 and Dec 30, 2015
Test Period : Nov 25, 2015 to Dec 30, 2015

(5) Flammability Test

Test Standard : Section 4.2 of the ASTM Standard Consumer Safety Specification for Toy Safety F963-11.

<u>Sample</u>	<u>Ignition point</u>	<u>Burn length</u> (inch)	<u>Time</u> (sec)	<u>Burn Rate</u> (inch/sec)	<u>Limit</u> (inch/sec)
House	Edge	0.8	60	0.01	0.10

The submitted toy sample was tested, the above result only showed the most severe burn rate of the sample.

Date sample received : Nov 25, 2015
Test Period : Nov 25, 2015 to Nov 26, 2015



Test Report

Number: HKGH01890637 S1

(6) Physical and Mechanical Test

Test Standard : Canada Consumer Product Safety Act Toys Regulations SOR/2011-17.

Age group for testing : For Ages over 2 years

The submitted samples were undergone the use and abuse tests in accordance with the Canada Consumer Product Safety Act Toys Regulations(SOR/2011-17):

<u>Test</u>	<u>Parameter</u>	
Drop test	4 x 4.5ft	Tip over test
Pull test	10 lbf	
Push test	10 lbf	

<u>Clause</u>	<u>Requirement</u>	<u>Assessment</u>
3	General - English and French Bilingual Statement	P
4	Packaging	P
5	Electrically operated toys	NA
6	Electrically heated toys	NA
7	Small parts	P
8	Metal edges	P
9	Wire Frames	NA
10	Plastic Edges	P
11	Wooden Surfaces, Edges and Corners	NA
12	Glass	NA
13	Fasteners	P
14	Folding Mechanisms, Bracket or Bracing	NA
15	Spring-Wound Driving Mechanism	NA
16	Projectile Components	NA
17	Toys which a child can enter and which can be closed by a lid or door	P
18	Stationary toy that is intended to bear the weight of a child	NA
19	Noise limit	NA
20	Heated surfaces, parts or substances	NA
28	Fastening to attach parts, Clothing or Ornamentation	NA
29	Stuffing Materials	
	(a) Clean and free from vermin	NA
	(b) Free from Hard and Sharp Foreign Matter	NA
30	Small parts - Squeaker, Reed, Valve or other similar device	NA
31	Eyes or nose	NA
35	Plant seeds for making noise	NA
36	Plant seeds for stuffing material	NA
37	Pull and Push Toys that has a shaft-like handle	NA
38	Toy Steam Engines Boilers	NA
39	Finger Paints	NA
40	Rattle	NA
41	Elastic	NA





Valued Quality. Delivered.

Hong Kong Government Recognized Service Supplier
Approved Laboratory of The Woolmark Company

Members of :

American National Standards Institute
American Society for Testing and Materials
British Standards Institute

Hong Kong Association for Testing, Inspection and Certification Limited
Hong Kong Toys Council

Test Report

Number: HKGH01890637 S1

<u>Clause</u>	<u>Requirement</u>	<u>Assessment</u>
42	Yo-Yo Type Balls	NA
	(a) Stretchable cord	NA
	(b) Similar product	NA
43	Battery	NA

Abbreviation : P = Pass NA = Not Applicable

Due to the large size and heavy weight of the sample, the tip over test was conducted according to ISO 8124-1 section 5.24.3 instead of drop test.

Date sample received : Nov 25, 2015

Test Period : Nov 25, 2015 to Nov 26, 2015

(7) Cellulose Nitrate and Celluloid

Test Standard : Canada Consumer Product Safety Act Toys Regulations SOR 2011-17 Section 21.

	<u>Assessment</u>	<u>Requirements</u>
Cellulose Nitrate / Celluloid	Absent	Absent

Date sample received : Nov 25, 2015

Test Period : Nov 25, 2015 to Nov 26, 2015



Test Report

Number: HKGH01890637 S1

(8) Mechanical and Physical Test

Test Standard : European Standard on Safety of Toys EN71-1:2014

Age group for testing : For Ages over 2 years

The submitted samples were undergone the following abuse tests:

<u>Clause</u>	<u>Testing Items</u>
8.3	Torque test (0.34 Nm)
8.4.2.1	Tension test (90 N)
8.6	Tip over test (Three times)
8.7	Impact test (1 kg)
8.8	Compression test (110 N)

<u>Clause</u>	<u>Requirement</u>	<u>Assessment</u>
4	General requirements	
4.1	Material cleanliness	P
4.2	Assembly	P
4.3	Flexible plastic sheeting	NA
4.4	Toy bags	NA
4.5	Glass	NA
4.6	Expanding Materials	NA
4.7	Edges	P
4.8	Points and Metallic wires	P
4.9	Protruding parts	NA
4.10	Parts moving against each other	P
4.11	Mouth actuated toys and other toys intended to be put into mouth	NA
4.12	Balloons	NA
4.13	Cords of toy kites and other flying toys	NA
4.14	Enclosures	P
4.15	Toys intended to bear the mass of a child	NA
4.16	Heavy immobile toys	P
4.17	Projectiles	NA
4.18	Aquatic toys and inflatable toys	NA
4.19	Percussion caps specifically designed for use in toys and toys using percussion caps	NA
4.20	Acoustics	NA
4.21	Toys containing non -electrical heat source	NA
4.22	Small balls	NA
4.23	Magnets	NA
4.24	Yo-yo balls	NA
4.25	Toys attached to food	NA
5	Toys intended for children under 36 months	
5.1	General requirements for toys intended for children under 36 months	P
5.2	Soft-filled toys and soft-filled parts of a toy	NA
5.3	Plastic sheeting	NA
5.4	Cords, chains and electrical cables in toys	NA
5.5	Liquid filled toys	NA
5.6	Speed limitation of electrically driven ride-on toys	NA
5.7	Glass and porcelain	NA





Valued Quality. Delivered.

Hong Kong Government Recognized Service Supplier
Approved Laboratory of The Woolmark Company

Members of :

American National Standards Institute
American Society for Testing and Materials
British Standards Institute

Hong Kong Association for Testing, Inspection and Certification Limited
Hong Kong Toys Council

Test Report

Number: HKGH01890637 S1

Clause	Requirement	Assessment
5.8	Shape and size of certain toys	NA
5.9	Toys comprising monofilament fibres	NA
5.10	Small balls	NA
5.11	Play figures	NA
5.12	Hemispheric-shaped toys	NA
5.13	Suction cups	NA
5.14	Straps intended to be worn fully or partially around the neck	NA
6	Packaging	P
7	Warnings, markings and instructions for use	
7.1	General	P
7.2	Toys not intended for children under 36 months	NA
7.3	Latex balloons	NA
7.4	Aquatic toys	NA
7.5	Functional toys	NA
7.6	Hazardous sharp functional edges and points	NA
7.7	Projectiles	NA
7.8	Imitation protective masks and helmets	NA
7.9	Toy kites	NA
7.10	Roller skates, inline skates, skateboards and certain other ride-on toys	NA
7.11	Toys intended to be attached to or strung across a cradle, cot, or perambulator	NA
7.12	Liquid-filled teethingers	NA
7.13	Percussion caps specifically designed for use in toys	NA
7.14	Acoustics	NA
7.15	Toy bicycles	NA
7.16	Toys intended to bear the mass of a child	NA
7.17	Toys comprising monofilament fibres	NA
7.18	Toy scooters	NA
7.19	Rocking horses and similar toys	NA
7.20	Magnetic / electrical experimental sets	NA
7.21	Toys with electrical cables exceeding 300 mm in length	NA
7.22	Toys with cords or chains intended for children of 18 months and over but under 36 months	NA

Abbreviation : P = Pass NA = Not Applicable

The submitted samples were undergone the abuse tests for Clause 5.1 in according to 8.3 (Torque test), 8.4 (Tension test), 8.5 (Drop test), 8.7 (Impact test), 8.8 (Compression test) and specific tests for different types of toys whichever applicable.





Valued Quality. Delivered.

Hong Kong Government Recognized Service Supplier
Approved Laboratory of The Woolmark Company

Members of :

American National Standards Institute
American Society for Testing and Materials
British Standards Institute

Hong Kong Association for Testing, Inspection and Certification Limited
Hong Kong Toys Council

Test Report

Number: HKGH01890637 S1

Below are additional information according to the Toy Safety Directive 2009/48/EC requirement. These information also appears as a note within the EN71 but are not standard requirements and not accredited:

Marking

The manufacturer's and importer's name, registered trade name or registered trade mark, the address and type, batch, serial or model number or other element allowing their identification shall be indicated on the product itself. In addition, toys or packagings shall also bear the CE-marking. After checking, it was found that

	Toy	Packaging
Manufacturer's name	Present	Present
Manufacturer's address	Present	Present
Importer's name	Absent	Absent
Importer's address	Absent	Absent
Product identification code	Present	Present
CE-marking	Present	Present

Cleaning instruction

A toy intended for use by children under 36 months must be designed and manufactured in such a way that it can be cleaned. The toy shall fulfill the safety requirements also after having been cleaned in accordance with this point and the manufacturer's instructions. The manufacturer should, if applicable, provided instructions on how the toy has to be cleaned.

After checking, the cleaning instruction was found on the submitted samples.

Date sample received : Nov 25, 2015, Dec 01, 2015 and Dec 30, 2015

Test Period : Nov 25, 2015 to Dec 30, 2015

(9) **Flammability Test**

Test Standard : European Standard on Safety of Toys EN71-2 : 2011 + A1 : 2014

Clause	Requirement	Assessment
4.1	General	P
4.2	Toys to be worn on the head	NA
4.3	Toy disguise costumes and toys intended to be worn by a child in play	NA
4.4	Toys intended to be entered by a child	P
4.5	Soft filled toys	NA

Abbreviation : P = Pass NA = Not Applicable

Date sample received : Nov 25, 2015

Test Period : Nov 25, 2015 to Nov 26, 2015



Test Report

Number: HKGH01890637 S1

(10) Physical And Mechanical Tests

Test Standard : Australian / New Zealand Standard AS/NZS ISO 8124-1: 2013 Safety aspects related to mechanical and physical properties.

Age group for testing : For Ages over 2 years

The submitted samples were undergone the normal use and the following reasonable foreseeable abuse tests in accordance with the clause 5.24 of AS/NZS ISO 8124-1: 2013 before the assessment of the relevant requirement in clause 4:

Clause	Test	Parameter
5.24.3	Tip-over test	3 times
5.24.5	Torque test	0.45 +/- 0.02 Nm
5.24.6	Tension test	70 +/- 2 N
5.24.7	Compression test	136 +/- 2 N

Clause	Requirement	Assessment
4.1	Normal use	P
4.2	Reasonably foreseeable abuse	P
4.3	Material	P
4.4.1	Small parts	P
4.4.2	Small part warning	NA
4.5	Shape, size and strength of certain toys	NA
4.6	Edges	P
4.7	Points	P
4.8	Projections	NA
4.9	Metal wires and rods	NA
4.10	Plastic film or plastic bags in packaging and in toys	P
4.11	Cords and elastic	NA
4.12	Folding mechanisms	P
4.13	Holes, clearances and accessibility of mechanisms	P
4.14	Springs	NA
4.15	Stability and overload requirement	P
4.16	Enclosures	P
4.17	Simulated protective equipment, such as helmets, hats and goggles	NA
4.18	Projectile toys	NA
4.19	Aquatic toys	NA
4.20.	Braking	NA
4.21	Toy bicycles	NA
4.22.	Speed limitation of electrically driven ride-on toys	NA
4.23.	Toys containing a heat source	NA
4.24	Liquid-filled toys	NA
4.25	Mouth-actuated toys	NA
4.26	Toy roller skates and toy skateboards	NA
4.27	Percussion caps	NA
4.28.	Acoustic requirements	NA
4.29.	Toy scooters	NA
4.30.	Magnets and magnetic components	NA



Test Report

Number: HKGH01890637 S1

<u>Clause</u>	<u>Requirement</u>	<u>Assessment</u>
ANNEX B	Safety labelling guidelines and manufacturer's markings	P
Annex D	Toy gun marking	NA

Abbreviation : P = Pass NA = Not Applicable

Date sample received : Nov 25, 2015, Dec 01, 2015 and Dec 30, 2015

Test Period : Nov 25, 2015 to Dec 30, 2015

(11) Physical and mechanical tests for toys for children up to and including 36 months of age

Test Standard : Australian Trade Practice Act 1974 Section 65c Consumer Product Safety Standard for Toys for children up to and including 36 months of age.

Age group for testing : For Ages over 2 years

The submitted samples were undergone the normal use and the following reasonable foreseeable abuse tests in accordance with the Clause 5.24 OF AS/NZS ISO 8124.1 : 2002 before the assessment of the relevant requirement in Clause 4 and Annex A :

<u>Section</u>	<u>Testing Items</u>	<u>Parameter</u>
5.24.3	Tip-over test	3 times
5.24.5	Torque test	0.45 +/- 0.02Nm
5.24.6	Tension test	70 +/- 2N
5.24.7	Compression test	114 +/- 2N

<u>Clause</u>	<u>Requirement</u>	<u>Assessment</u>
4.1	Normal use	P
4.2	Reasonably foreseeable abuse	P
4.4	Small Part	P
4.5	Shape, size and strength of certain toys	NA
4.25	Mouth-actuated toys	NA
A.2.3	Battery-operated toy	NA

Abbreviation : P = Pass NA = Not Applicable

Date sample received : Nov 25, 2015, Dec 01, 2015 and Dec 30, 2015

Test Period : Nov 25, 2015 to Dec 30, 2015





Valued Quality. Delivered.

Hong Kong Government Recognized Service Supplier
Approved Laboratory of The Woolmark Company

Members of :

American National Standards Institute
American Society for Testing and Materials
British Standards Institute

Hong Kong Association for Testing, Inspection and Certification Limited
Hong Kong Toys Council

Test Report

Number: HKGH01890637 S1

(12) Flammability Test

Test Standard : Australian / New Zealand Standard AS/NZS ISO 8124-2:2009.

Clause	Requirement	Assessment
4.1	General	P
4.2	Toys to be worn on the head	NA
4.3	Toy disguise costumes and toys intended to be worn by a child in a play	NA
4.4	Toys intended to be entered by a child	P
4.5	Soft filled toys with a piled or textile surface	NA

Abbreviation : P = Pass NA = Not Applicable

Additional Information: Butane gas was used in the test burner.

Date sample received : Nov 25, 2015

Test Period : Nov 25, 2015 to Nov 26, 2015





Valued Quality. Delivered.

Hong Kong Government Recognized Service Supplier
Approved Laboratory of The Woolmark Company

Members of :

American National Standards Institute
American Society for Testing and Materials
British Standards Institute

Hong Kong Association for Testing, Inspection and Certification Limited
Hong Kong Toys Council

Test Report

Number: HKGH01890637 S1

(13) Tracking Label Assessment

Test Standard : Consumer Product Safety Improvement Act (CPSIA) 2008 Section 103 tracking labels for children products.

Tracking label was not found on the packaging:

LOT: 42W15
PALPLAY LTD
P.O.Box 591 migdal ha Emek 2310501 Israel

Tracking label was not found on the product:

LOT: 42W15
PALPLAY LTD
P.O.Box 591 migdal ha Emek 2310501 Israel

Note: The tracking label assessment was based on the submitted sample and the information provided by the applicant. There was no verification on the validity of such information.

Date sample received : Nov 25, 2015, and Dec 01, 2015

Test Period : Nov 25, 2015 to Dec 03, 2015

End of report

Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our standard Terms and Conditions which can be obtained at our website: <http://www.intertek.com/terms/>. Intertek's responsibility and liability are limited to the terms and conditions of the agreement.

This report is made solely on the basis of your instructions and / or information and materials supplied by you and provide no warranty on the tested sample(s) be truly representative of the sample source. The report is not intended to be a recommendation for any particular course of action, you are responsible for acting as you see fit on the basis of the report results. Intertek is under no obligation to refer to or report upon any facts or circumstances which are outside the specific instructions received and accepts no responsibility to any parties whatsoever, following the issue of the report, for any matters arising outside the agreed scope of the works. This report does not discharge or release you from your legal obligations and duties to any other person. You are the only one authorized to permit copying or distribution of this report (and then only in its entirety). Any such third parties to whom this report may be circulated rely on the content of the report solely at their own risk.

This report shall not be reproduced, except in full.





Valued Quality. Delivered.

Hong Kong Government Recognized Service Supplier
Approved Laboratory of The Woolmark Company

Members of :

American National Standards Institute
American Society for Testing and Materials
British Standards Institute

Hong Kong Association for Testing, Inspection and Certification Limited
Hong Kong Toys Council

To:	PALPLAY LIMITED	Ref:	FC-2016-0034
Attention:	MS.ATSMONA GALEEN	Date:	Jan 04, 2015

Re : Report Revision Notification

Intertek Testing Services Report Number HKGH01890637 Dated Dec 31, 2015.

Please be informed that all the content recorded in the above captioned report will be void. This captioned report is now superseded by a revised Intertek Testing Services report, HKGH01890637 S1.

Thank you for your attention.

For and on behalf of :
Intertek Testing Services HK Ltd.

Angel Y.F. Cheung
Vice President